

HUGHES TOOL COMPANY

AIRCRAFT DIVISION

TITLE
EQUIPMENT LIST FOR
HUGHES MODEL 369A (OH-6A) HELICOPTER

REPORT NO. 369-E-5002

15 April 1966

NO. PAGES 5 NO. PHOTOGRAPHS _____

PREP. BY R. R. Christensen
R. R. Christensen

APPROVED BY E. Vega
E. Vega
R. E. Moore
R. E. Moore

DATE	REVISED BY	PAGES	REMARKS
5/9/66	R.Christensen	1,3 & 5	Remove Items 606 & 918. Add Items 110, 607, 922 & 923
8/10/66	R.Christensen	1 - 5	Updated Wt. & C.G. Data. Revised Items 412, 416, 702, 904, 905. Deleted Items 414, 821, 822, 901. Added Items 423, 608, 924, 926, 927.
8/18/66	R.Christensen	4	Delete Items 813,814,815,816,817,818.
8/22/66	E. Vega	3 & 4	Revise Item 504 and Item 902

CONTINUED NEXT PAGE

EQUIPMENT LIST FOR HUGHES MODEL 369A HELICOPTER

REPORT NO. 369-E-5002
 PREP. BY R. CHRISTENSEN
 DATE APR. 15, 1966

FAA APPROVED

DATE	REVISED BY	PAGES	REMARKS
11/29/66	R.LAMBERT	1-6	RETYPE AND UPDATED DATA AS FOLLOWS REVISED ITEMS 402,405,702,824, 825,826,828,909, AND 927 ADDED ITEMS 515 AND 516
2/23/67	R.LAMBERT	1,2,4,5	REVISED ITEMS 105,106,202,608,908 ADDED ITEM 609
3/10/67	R.LAMBERT	3,4	CLARIFIED ITEMS 608 AND 609 REVISED ITEMS 417 AND 418 ADDED ITEM 424
6/20/67	R.LAMBERT	1,3,4,5	REVISED ITEMS 7,8,101,412,416,423, 502,503,701,702,704,801,802,803, 812,820,902,920,921 ADDED ITEM 829
9/14/67	R.LAMBERT	2	REVISED ITEM 110 ADDED ITEM 305
9/14/67	R.LAMBERT	5	ADDED ITEMS 830 AND 831
11/9/67	R.LAMBERT	1,3,4,6	REVISED ITEMS 17 AND 18 ADDED ITEMS 425,426,427,428,429,517 ALL NOTES MOVED TO PAGE 6
1/23/68	R.LAMBERT	1,3,4,5,6	REVISED ITEMS 7,8,501,502,504,505, 506,507,513,515,517,601,915,920,921 ADDED ITEMS 23,24,610 ADDED NOTES 10,11,12,13
3/12/68	R.LAMBERT	6	REVISED NOTES 12,13
4/30/68	R.LAMBERT	2,6	REVISED ITEMS 201,202,203,204,205 ADDED NOTE TO ITEM 301 ADDED ITEM 306 ADDED NOTES 14,15
5/13/68	R.LAMBERT	2,6	ADDED NOTE ITEM 302 REVISED NOTE ITEM 305 ADDED ITEMS 307,308,309,310,311 REVISED NOTE 15 ADDED NOTES 16,17,18,19,20,21

EQUIPMENT LIST FOR HUGHES MODEL 369A HELICOPTER

REPORT NO. 369-E-5002
 PREP. BY R. CHRISTENSEN
 DATE APR. 15, 1966

FAA APPROVED

DATE	REVISED BY	PAGES	REMARKS
10/18/68	D. JOHNERSON	1,2,3	REVISED ITEMS 105,307,309 ADDED ITEM 420
1/10/69	R. CHRISTENSEN	2,4,6,7	REMOVE ITEMS 101 AND 110 ADDED ITEMS 705,928,929,930 REVISE ITEMS 202,703,704, AND 926 ADDED NOTES 23,24
1/22/69	D. JOHNERSON	3,7	ADDED NOTE TO ITEM 405 ADDED ITEM 431 ADDED NOTES 25,26 REVISED ITEM 401
3/10/69	D. JOHNERSON	6	ADDED ITEM 931 REVISED ITEM 915
3/25/69	R. CHRISTENSEN	2-8	REVISED 103,106,108,305,418, 501,503,514,902,921,922 ADDED ITEMS 110,432,518,519,520, 521,611,612,613,614,832,833,834, 835,836,837,838,839,840,841,842, 843,844,845,846,847,848,849,932 ADDED NOTES 27,28
5/8/69	D. JOHNERSON	4,6,7	REMOVE ITEM 914 ADDED ITEM 522 REVISED ITEMS 835,841
6/16/69	D. JOHNERSON	1-7	REVISED ITEMS 19,20,110,423,432,703, 801,802,804,835,838 ADDED ITEMS 706,804A,838A,841A REMOVED NOTES *,1-22, 25-28 ADDED TITLE NOTES
8/27/69	D. JOHNERSON	6,7	ADDED ITEM 933 REVISED ITEMS 803,921
1/23/70	R. LAMBERT	3	ADDED ITEM 418A
9/ 8/70	J. GILL	4	ADDED ITEMS 501A,504A AND 507A.
1-12-72	R. CHRISTENSEN	1,2,3	ADDED ITEMS 5A,206, AND 433 REVISED ITEM 5 DELETED ITEM 4

EQUIPMENT LIST FOR HUGHES MODEL 369A HELICOPTER

REPORT NO. 369-E-3002
 PREP. BY R. CHRISTENSEN
 DATE APR. 15, 1966

FAA APPROVED

REG. NO.
 HTC S/N
 DATE

QTY	NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
ROTOR AND CONTROLS-REQUIRED (INCLUDING APPROVED ALTERNATES)					
1		BLADES, MAIN ROTOR (4)	HTC-AD369A1100	96.4	100.0
2		DAMPERS, MAIN ROTOR (4)	HTC-AD369A1400	7.3	100.0
3		HUB AND RETENTION INSTL, MAIN ROTOR	HTC-AD369A1200	56.2	100.0
5		TAIL ROTOR ASSY.	HTC-AD369A1600	8.2	282.0
5A		TAIL ROTOR ASSY., AL BLADE	HTC-AD369A1620	7.7	282.0
6		VIBRATION ABSORBERS, MAIN ROTOR BLADES (4)	HTC-AD369A1119	12.0	100.0
7		CYCLIC STICK, PILOT	HTC-AD369A7121	1.3	60.7
8		CYCLIC STICK-CO-PILOT	HTC-AD369A7801	1.0	60.7
9		GRIP ASSY, CYCLIC STICK (2)	GUARDIAN ELEC.	3.2	66.6
10		GUARD ASSY, CYCLIC STICK (2)	HTC-AD369A7122	0.2	63.1
11		TRIM ASSY, LATERAL CYCLIC	HTC-AD369A7170	2.0	68.5
12		TRIM ASSY, LONGITUDINAL CYCLIC	HTC-AD369A7171	2.0	68.5
13		CONTROL SYSTEM, ONE WAY LOCK	HTC-AD369A7010	1.2	69.4
14		COLLECTIVE STICK, PILOT	HTC-AD369A7307	1.6	67.9
15		COLLECTIVE STICK, CO-PILOT	HTC-AD369A7807	1.1	67.9
16		TAIL ROTOR PEDLS, PILOT AND CO-PILOT	HTC-AD369A7502	2.0	42.6
17		TAIL ROTOR PEDAL ARM ASSY (2)	HTC-AD369A7509	1.1	42.1
18		TAIL ROTOR PEDAL ARM ASSY (2)	HTC-AD369A7501	1.1	42.1
19		FAIRING, MAIN ROTOR BLADES (4) (EFFECTIVE SHIPS 0001 THRU 0829)	HTC-AD369A1012	3.3	100.0
20		FAIRING, HUB (EFFECTIVE SHIPS 0001 THRU 0829)	HTC-AD369A1013	0.6	100.0
21		DAMPER LOCK PINS, MAIN ROTOR (4)	HTC-AD369A1005	0.3	100.0
22		BLADE LOCK PINS, MAIN ROTOR (8)	HTC-AD369A1004	1.5	100.0
23		CYCLIC STICK, PILOT	HTC-AD369A7124	1.3	60.7
24		CYCLIC STICK, CO-PILOT	HTC-AD369A7812	1.0	60.7

EQUIPMENT LIST FOR HUGHES MODEL 369A HELICOPTER

REPORT NO. 369-E-5002
 PREP. BY R. CHRISTENSEN
 DATE APR. 15, 1966

FAA APPROVED

REG. NO.
 HTC S/N
 DATE

QTY	NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
BODY ENCLOSURES-REQUIRED (INCLUDING APPROVED ALTERNATES)					
	102	ENGINE COMPARTMENT DOORS (2)	HTC-AD369A2024	7.6	156.0
	103	EQUIPMENT ACCESS DOORS	HTC-AD369A2004	3.5	53.0
	104	MAIN TRANSMISSION COVER	HTC-AD369A5010	1.4	103.5
	105	FAIRING ASSY,ENGINE INLET, FWD	HTC-AD369A2025	6.2	107.6
	106	FAIRING ASSY,ENGINE INLET,AFT	HTC-AD369A3014	4.9	138.1
	107	COVER ASSY,MAIN TRANSMISSION,AFT	HTC-AD369A5012	0.2	113.0
	108	ACCESS DOOR,MAIN TRANSMISSION	HTC-AD369A2019	1.3	107.0
	109	ACCESS DOOR,COOLER (2)	HTC-AD369A2023	1.0	120.8
	110	FAIRING ASSY, ENGINE INLET, AFT	HTC-AD369A3053	7.1	135.0
MAIN LANDING GEAR-REQUIRED (INCLUDING APPROVED ALTERNATES)					
	201	SKID INSTALLATION (2)	HTC-AD369A6100	12.6	78.7
	202	STRUTS (4)	HTC-AD369A6001	19.0	97.7
	203	BRACE ASSY (4)	HTC-AD369A6002	4.3	98.8
	204	SHOCK ABSORBERS (4)	HTC-AD369A6300	6.4	102.3
	205	FAIRINGS (4)	HTC-AD369A6200	4.4	100.9
	206	KIT-LANDING GEAR	HTC-AD369M30245	2.5	125.0
STABILIZERS-REQUIRED (INCLUDING APPROVED ALTERNATES)					
	301	VERTICAL STAB. AND SKID-LOWER	HTC-AD369A3650	2.1	283.0
	302	VERTICAL STABILIZER,UPPER	HTC-AD369A3625	4.1	288.0
	303	HORIZONTAL STABILIZER	HTC-AD369A3600	7.3	280.3
	304	STRUT INST.-VERT-TO-HORIZ STAB	HTC-AD369A2001	0.6	286.0
	305	HORIZONTAL STABILIZER	HTC-AD369A3600-601	9.2	280.3
	306	VERTICAL STAB. AND SKID-LOWER	HTC-AD369A3650-601	2.3	283.0
	307	HORIZONTAL STABILIZER	HTC-AD369A3600-603	9.0	280.3
	308	HORIZONTAL STABILIZER	HTC-AD369A3600-605	8.9	280.3
	309	VERTICAL STABILIZER,UPPER	HTC-AD369A3625-601	4.8	288.0
	310	VERTICAL STABILIZER,UPPER	HTC-AD369A3625-603	4.6	288.0
	311	VERTICAL STAB. AND SKID-LOWER	HTC-AD369A3650-603	2.3	283.0

EQUIPMENT LIST FOR HUGHES MODEL 369A HELICOPTER

REPORT NO. 369-e-5002
 PREP. BY A. CHRISTENSEN
 DATE APR. 15, 1966

FAA APPROVED

REG. NO.
 HTC S/N
 DATE

QTY	NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
ENGINE AND ENGINE ACCESSORIES-REQUIRED (INCLUDING APPROVED ALTERNATES)					
	401	ENGINE (DRY)	ALLISON T63-A-5A	138.0	138.4
	402	STARTER-GENERATOR	HTC-AD369A4550	17.0	134.0
	403	EXHAUST PIPES	HTC-AD369A8228	7.7	160.0
	404	BLANKET, FIREWALL	HTC-AD369A3018	1.2	145.0
	405	GEAR BOX, MAIN (WITH 6.2 LB OIL)	HTC-AD369A5100	79.2	105.0
	406	ENGINE DRIVE SHAFT ASSY	HTC-AD369A5510	2.9	120.3
	407	IMPELLER ASSY, OIL COOLER BLOWER	HTC-AD369A5302	1.0	113.0
	408	SCROLL ASSY, OIL COOLER BLOWER	HTC-AD369A5306	1.0	113.0
	409	OIL COOLER (DRY)	HTC-AD369A8302	5.0	127.0
	410	FUEL CELLS (DRY)	HTC-AD369A8102	21.2	98.9
	411	OIL TANK (DRY)	HTC-AD369A8301	1.2	130.5
	412	OIL-ENGINE LUBRICATION (5.9 LB. DRAINABLE, 1.5 LB. TRAPPED)	HTC-AD369A8301	7.4	133.4
	413	SHUT-OFF VALVES, FUEL SYSTEM	HTC-AD369A8104	0.2	93.0
	415	CLUTCH ASSY, MAIN DRIVE SHAFT	HTC-AD369A5350	4.3	125.2
	416	GEAR BOX, T/R (INCL. 0.4LB. OIL)	HTC-AD369A5304	8.1	281.0
	417	DRIVE SHAFT-MAIN ROTOR	HTC-AD369A5520	12.0	100.4
	418	DRIVE SHAFT, TAIL ROTOR	HTC-AD369A5518	5.8	197.8
	418A	DRIVE SHAFT, TAIL ROTOR	HTC-AD369A5518-601	7.8	197.8
	419	TACH. GENERATOR (2)	HTC-AD369A4517	1.6	131.0
	420	TACH GENERATOR NI IND.	HTC-AD369A4517	0.8	117.0
	421	OIL TEMPERATURE SENDER	HTC-AD369A4533	0.1	131.5
	422	OIL PRESSURE SENDER	HTC-AD369A4534	0.4	131.5
	423	FUEL CELL PADS (EFFECTIVE SHIPS 0001 THRU 0117)	HTC-AD369A2500	1.8	115.0
	424	DRIVE SHAFT, MAIN ROTOR	HTC-AD369A5500	9.5	100.4
	425	EXHAUST PIPES	HTC-AD369A8230	7.7	160.0
	426	HANGER ASSY-EXHAUST PIPE	HTC-AD369A8236	0.7	172.0
	427	OIL TANK, SELF-SEALING	HTC-AD369A4718	7.4	130.5
	428	OIL-ENGINE LUBRICATION (6.4 LB. DRAINABLE 0.3 LB. UNDRAINABLE)		6.7	133.4
	429	BYPASS VALVE	HTC-AD369A4730	1.1	132.0
	430	STARTING PUMP	HTC-AD369A8143	2.1	93.6
	431	GEAR BOX, MAIN (WITH 7.7 LB OIL)	HTC-AD369A5100-605	81.0	105.0
	432	ENGINE AIR FILTER INSTL	HTC-AD369A8400	11.4	126.7
	433	ENG. OUT WARN., AUTO RESTART SYS	HTC-AD369M30244	1.8	58.8

EQUIPMENT LIST FOR HUGHES MODEL 369A HELICOPTER

REPORT NO. 369-E-5002
 PREP. BY R. CHRISTENSEN
 DATE APR. 15, 1966

FAA APPROVED

REG. NO.
 HTC S/N
 DATE

ON	NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
INSTRUMENTS-REQUIRED (INCLUDING APPROVED ALTERNATES)					
	501	AIRSPEED INDICATOR	FSN6610-957-2703	1.0	47.0
	501A	AIRSPEED INDICATOR	FSN6610-646-7728	1.0	47.0
	502	ALTIMETER	FSN6610-722-0967	1.5	46.4
	503	COMPASS, MAGNETIC	FSN6605-551-8187	0.8	37.0
	504	TORQUE INDICATOR	HTC-AD369A4512	0.5	46.9
	504A	TORQUE INDICATOR	HTC-AD369A45I2-601	0.5	46.9
	505	TEMP. INDIC. -TURBINE	HTC-AD369A4521	0.7	47.3
	506	ENG. OIL TEMP., PRESS, AMM. IND.	HTC-AD369A4230	0.5	48.2
	507	TACHOMETER-DUAL	HTC-AD369A4515	1.1	46.8
	507A	TACHOMETER-DUAL	HTC-AD369A4515-601	1.1	46.8
	508	FUEL QUANTITY IND.	HTC-AD369A4525	0.3	48.7
	510	TANK UNIT-FUEL QUANTITY	HTC-AD369A4526	0.8	95.0
	512	PITOT TUBE INSTALL	HTC-AD369A4250	0.1	35.7
	513	N1 INDICATOR	HTC-AD369A4516	0.8	47.1
	514	CONTROL UNIT, WARNING ENG. PWR OUT	HTC-AD369A4540	0.3	46.5
	515	FUEL QUANTITY INDICATOR	HTC-AD369A4519	0.6	48.6
	516	TANK UNIT-FUEL QUANTITY	HTC-AD369A4245	0.4	95.0
	517	ENG. OIL TEMP., PRESS, AMM. IND.	HTC-AD369A4230-21	0.6	48.2
	518	AIRSPEED INDICATOR	FSN6610-646-7728	1.0	47.0
	519	COMPASS, MAGNETIC	FSN6605-526-7256	0.8	39.8
	520	ENG. OIL TEMP., PRESS, AMM. IND.	HTC-AD369A4330	0.9	48.3
	521	CONTROL UNIT, WARNING ENG. PWR OUT	HTC-AD369A4640	0.5	46.5
	522	TEMP. IND., FREE AIR	HTC-AD369A4213	0.2	34.0

EQUIPMENT LIST FOR HUGHES MODEL 369A HELICOPTER

REPORT NO. 369-E-5002
 PREP. BY R. CHRISTENSEN
 DATE APR. 15, 1966

FAA APPROVED

REG. NO.
 HTC S/N
 DATE

ON	NO.	ITEM	PART NUMBER MANUFACTURER	WT.	ARM
ELECTRICAL EQUIPMENT-REQUIRED (INCLUDING APPROVED ALTERNATES)					
	601	BATTERY	HTC-AD369A4556	22.7	49.2
	602	VOLTAGE REGULATOR	HTC-AD369A4552	1.2	48.1
	604	RELAY, STARTER	AN3371-2	1.3	130.5
	605	RELAY, REVERSE CURRENT	HARTMAN A700-XA	2.7	126.4
	607	RELAY, OVERVOLTAGE	HTC-AD369A4557	0.1	50.0
	608	STATIC INVERTERS (2)	HTC-AD369A4554	2.8	66.0
	609	STATIC INVERTER (1)	HTC-AD369A4554	1.0	66.0
	610	BATTERY	HTC-AD369A4530	23.0	49.2
	611	BATTERY	HTC-AD369A4630	23.6	57.3
	612	VOLTAGE REGULATOR	HTC-AD369A4652	1.1	47.6
	613	OVERVOLTAGE RELAY	HTC-AD369A4665	0.1	50.0
	614	STATIC INVERTER	HTC-AD369A4654	2.5	66.0

INTERIOR FURNISHINGS AND EQUIPMENT-REQUIRED
 (INCLUDING APPROVED ALTERNATES)

	701	SEAT INSTALL.-PILOT AND CO-PILOT	HTC-AD369A2005	6.0	78.0
	702	SAFETY BELTS, INERTIA REELS AND HARNESS	HTC-AD369A4536	9.2	80.0
	703	FLIGHT MANUAL		0.8	33.0
	704	MAP HOLDER	HTC-AD369A4012	0.1	85.0
	705	LOG BOOK HOLDER	HTC-AD369A4011	0.7	33.0
	706	LOG BOOK	FSN 7510-889-3494	1.2	33.0

EQUIPMENT LIST FOR HUGHES MODEL 369A HELICOPTER

REPORT NO. 369-E-5002
 PREP. BY R. CHRISTENSEN
 DATE APR. 15, 1966

FAA APPROVED

REG. NO.
 HTC S/N
 DATE

QTY	NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
ELECTRONIC EQUIPMENT-OPTIONAL					
	801	TRANSCEIVER,UHF (ALT ARM 107.7)	RT-742()/ARC-51BX	30.7	57.4
	802	MOUNT,UHF (ALT. ARM 107.7)	MT-2653()/ARC/ARC	0.3	55.9
	803	CONTROL,UHF	C-6287()/ARC-51()X	3.6	46.0
	804	COOLER,AIR,UHF (ALT ARM 99.5)	HD-615()/ARC-51X	1.1	58.4
	804A	GUARD ASSY, COOLER ARC-51	HTC-AD369A6510	1.1	98.7
	805	INDICATOR,VSWR	ID-1003()/ARC	1.1	46.0
	806	RECEIVER-TRANSMITTER,FM	RT-348()/ARC-54	22.4	56.6
	807	MOUNT,FM	MT-1535()/ARC-54	1.4	56.6
	808	CONTROL,FM	C-3835()/ARC-54	2.1	46.0
	810	ANTENNA COUPLER	HTC-AD369A4585	1.4	43.4
	811	KIT,CONNECTOR	FSN5935-695-4914	0.5	56.6
	812	CONTROL,INTERPHONE (2)	C-1611()/AIC	4.0	47.7
	819	RECEIVER,ADF	R-1391()/ARN-83	9.3	48.1
	820	MOUNT,RECEIVER,ADF	HTC-AD369A4422	1.0	48.1
	823	CONTROL	C-6899()/ARN	1.7	47.4
	824	ANTENNA,LOOP	AS-1863/ARN	4.6	65.7
	825	TRANSMITTER,COMPASS	T-611/ASN	1.5	141.0
	826	FLUX COMPENSATOR	CN-405()/ASN	0.3	141.0
	827	GYRO,DIRECTIONAL	CN-998()/ASN-43	5.3	67.7
	828	SWITCH,INSTRUMENTATION	MS35058-22	0.1	46.0
	829	ANTENNA COUPLER	HTC-AD369A4585-3	1.8	45.9
	830	NETWORK-HYBRID CIRCUIT	HTC-AD369A4507	0.3	32.0
	831	TRANSFORMER-HOMING (2)	HTC-AD369A4508	0.4	32.0
	832	TRANSCEIVER, VHF-FM, NO. 1	AN/ARC-114	6.8	47.1
	833	TRANSCEIVER, VHF-AM	AN/ARC-115	6.8	45.7
	834	TRANSCEIVER, UHF-AM	AN/ARC-116	7.8	44.7
	835	FM COUPLER, SOLID STATE	CU-1893/ARC-114	0.8	40.0
	836	ANT, IMPEDANCE MATCHING NETWORK	CU-1796/ARC-114	0.5	40.0
	837	IMPEDANCE MATCHING NETWORK (2)	CU-1794/ARC-114	1.0	40.0
	838	CONTROL, COMMUNICATION SYSTEM(2)	C-6533/AIC	4.0	46.2
	838A	CONTROL, COMMUNICATION SYSTEM	C-6533/AIC	2.0	85.0
	839	RECEIVER, ADF	R-1496()/ARN-89	6.7	57.0
	840	CONTROL, ADF	C-7392()/ARN-89	3.2	47.4
	841	SENSE PREAMPLIFIER	AM-4859()/ARN-89	0.2	52.0
	841A	SENSE ANTENNA, ADF	HTC-AD369A4380	1.3	96.0
	842	LOOP ANTENNA, ADF	AS-2108()/ARN-89	2.1	65.7
	843	TRANSPONDER RECEIVER-XMTR	RT-859/APX-72	15.2	56.6
	844	MOUNT, TRANSPONDER	MT-3809/APX-72	1.3	56.6
	845	CONTROL, TRANSPONDER	C-6280A(P)APX	3.0	57.2
	846	ANTENNA, TRANSPONDER	AT-884()/APX	0.8	32.0
	847	FILTER-DIPLEXER	HTC-AD369A4675	0.4	46.0
	848	SWITCH, INTERCOMM., FOOT	MS-25039-1	0.2	50.0
	849	SWITCH, INTERCOMM., FOOT	HTC-AD369A4463	0.8	96.0

EQUIPMENT LIST FOR HUGHES MODEL 369A HELICOPTER

REPORT NO. 369-E-5002
 PREP. BY R. CHRISTENSEN
 DATE APR. 15, 1966

FAA APPROVED

REG. NO.
 HTC S/N
 DATE

ON	NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
		SPECIAL EQUIPMENT-OPTIONAL			
	902	FIRE EXTINGUISHER	FSN4210-555-8837	6.8	62.3
	903	FIRST AID KIT	FSN6545-919-6650	1.8	87.0
	904	TROOP SEATS (2-PLACE)	HTC-AD369A2011	5.3	107.0
		NOTE. ITEM 905 REQUIRED WHEN INSTALLED			
	905	SEAT BELTS AND HARNESS TROOP (2)	HTC-AD369A4537	2.4	107.0
	906	FLOOR FITTING-ARMAMENT	HTC-AD369A2511	0.6	87.8
	907	FLOOR FITTING-ARMAMENT	HTC-AD369A2510	0.3	87.8
	908	ARMAMENT POD INSTL. W/O AMMO	SPRINGFIELD XM-27	151.6	90.6
	909	TIE-DOWN FITTINGS-CARGO (8)	HTC-AD369A2009	1.0	100.0
	910	LANDING LIGHT	MS25241	0.9	34.3
	911	TAIL LIGHT INSTALLATION	HTC-AD369A4588	0.2	287.0
	912	SIDE LIGHT INSTALLATION (2)	HTC-AD369A4589	0.5	78.0
	913	ANTI-COLLISION LIGHT	HTC-AD369A4285	0.7	90.0
	915	ATTITUDE INDIC	HTC-AD369A4502	2.5	45.5
	916	JACKING FITTING-FIXED (2)	HTC-AD369A2509	0.7	96.9
	917	RECEPTACLE, EXTERNAL POWER	AN2552-3A	0.8	75.0
	919	JACK PAD FITTING-FIXED	HTC-AD369A3043	0.1	197.2
	920	CLOCK	FSN6645-950-8599	0.6	47.9
	921	HEADING, HOMING, BEARING IND.	HTC-AD369A4504	1.9	46.1
	922	RELAY, LANDING LIGHT	OHMITE GCX-32-28VDC	0.3	38.0
	923	RELAY, WARNING LIGHT DIMMING	801-12A-28	0.3	48.0
		ELECTRONIC CONTROL INC.			
	924	JETTISON INSTL., COCKPIT DOORS	HTC-AD369A2055	0.6	63.5
	925	JETTISON INSTL., CARGO COMP DOORS	HTC-AD369A2061	0.6	100.0
	926	ASHTRAY-COCKPIT	HTC-AD369A4547	0.1	52.2
	927	ASHTRAY-CARGO COMPT	HTC-AD369A4234	0.4	85.0
-23-	928	COCKPIT DOORS (2)	HTC-AD369A2002	10.2	63.5
-23-	929	CARGO COMPT. DOORS (2)	HTC-AD369A2012	12.9	100.0
-24-	930	FLOW DEFLECTORS (2)	HTC-AD369A4013	0.2	81.0
	931	ATTITUDE INDICATOR	HTC-AD369A4503	2.5	45.6
	932	RELAY, LANDING LIGHT	CUTLER-HAMMER6041H255	0.5	38.0
	933	ATTITUDE INDICATOR	HTC-AD369A4509	2.5	45.6

-23- OPERATION WITH CREW DOORS OFF AND CARGO DOORS ON IS PROHIBITED. SEE NOTE 24 ALSO.

-24- IF ITEM 930 NOT INSTALLED WITH ALL DOORS OFF, SEE ROTORCRAFT FLIGHT MANUAL, PARAGRAPH IV.6.D. FOR AIRSPEED LIMITATIONS.